

DS-KH8340-TCE2

Two-Wire Indoor Station with 7" Touch Screen



The DS-KH8340-TCE2 by Hikvision is a two-wire indoor station with a 7" touch screen. It is compact, convenient, and easy to install.

It supports hands-free communication with door and master stations.

Available Models:


DS-KH8340-TCE2

- Hands-Free Audiovisual Communication with the Door Station and the Master Station in the Intercom System
- Supports the Monitoring of Door Stations and External Cameras
- Supports Auto-Answering and Do Not Disturb Mode
- Noise Suppression and Echo Cancellation
- Supports 8-ch Zone Alarm Input
- Supports Panic Call
- Remote Unlocking via the Client
- Convenient Installation and Easy Operation

Specifications

DS-KH8340-TCE2	
System Parameters	
Processor	High-performance embedded SOC processor
Display Parameters	
Display Screen	7" colorful TFT LCD
Display Resolution	1024 x 600
Operation Method	Capacitive touch screen, touch button
Operation Interface	Flattened UI operation interface
Video Parameter	
Video Compression Standard	H.264
Audio Parameters	
Audio Input	Built-in omnidirectional microphone
Audio Output	Built-in loudspeaker
Audio Quality	Noise suppression and echo cancellation
Device Interfaces	
Network Interface	Two-wire interface
RS-485	1 RS-485 half-duplex port
Alarm Output	1
General	
Power Supply	Powered by DS-KAD709
Power Consumption	≤10 W
Working Temperature	14° F to 131° F (-10° C to 55° C)
Working Humidity	10 to 90%
Installation	Wall mounting
Dimensions (L x W x H)	7.72" x 5.24" x 1.01" (196 mm x 133 mm x 25.75 mm)

Appearance and Interfaces



Typical Application

