

HIKVISION VIDEO & AUDIO CONVERGENCE SOLUTION

Real-time warnings and proactive crime deterrence




Small One-Site Scenario, Economical Solution

For small single-site applications such as indoor environments in an office, small retail shop or convenience store. Hikvision network cameras with audio/flashing light can trigger audio warnings and emit flashing light when the alarm is triggered. It also allows the user to communicate with people in the monitoring area.

Benefits:

-  Automatic and rapid alarm triggered via camera, two-way audio
-  Audio warning upon detected intrusion to deter further intrusion
-  Audio message is customizable
-  Two-way audio provides a proactive deterrent to prevent unauthorized behavior



Small One-Site Scenario, Pro Solution



For small applications such as indoor environments in an office, small retail shop, or convenience store. Hikvision network cameras with audio/flashing light can trigger audio warnings and emit flashing light when the alarm is triggered. It also allows the user to communicate with people in the monitoring area. The camera, NVR and IP speaker are connected via switch and controlled and managed via NVR.

Benefits:

 Automatic and rapid audio warning when alarm is triggered with loud broadcast volume

 Audio message is customizable

 Multiple linkage between speaker and camera: any alarm triggered from NVR-connected cameras can trigger any NVR connected IP speaker to play a customized message





Large Single-Site Solution

For large applications such as schools, campuses, gas stations, law offices and large commercial buildings that require powerful, long-range audio.

Benefits:

-  Rapid audio warning when alarm is triggered
-  Audio can be linked to IP speaker through HikCentral Professional
-  Two-way audio with speaker through HikCentral to help operator communicate in emergencies
- Easy to use: Speaker icon can be added on the map in HikCentral and users can talk to any speaker easily without having to search.
-  Users can broadcast any audio file through the speaker from a laptop or NVR, or speak through the microphone
-  Audio broadcast can be customized and scheduled to play a routine warning in a specific situation
-  One-way audio for multiple end devices (speech, music playing, etc.)



Large Multi-Site Solution

For large multi-site applications that can be connected via IP with devices centrally managed through HikCentral

Benefits:

-  Rapid audio warning when alarm is triggered
-  Audio can be linked to IP speaker through HikCentral Professional
-  Audio broadcast can be customized and scheduled to play a routine warning in a specific situation
-  One-way audio for multiple end devices (speech, music playing, etc.)
-  Two-way audio with speaker through HikCentral to help operator communicate in emergencies
-  Easy to use: Speaker icon can be added on the map in HikCentral and users can talk to any speaker easily without having to search
-  Users can broadcast any audio file through the speaker from a laptop or NVR, or speak through the microphone
-  Multiple alarms can be triggered to warn the intruder and a security guard in another area



Product Showcase



DS-PA0103-B



I Series NVR



DS-2DE3A400BW-
DE(F1)(S5)



IDS-2CD7146G0-IZS



DS-2TD2617-3/6/10/
PA



HikCentral
Professional



PCI-T15F2SL
PCI-T15F4SL
PCI-T15F6SL



PCI-B15F4SL
PCI-B15F2SL
PCI-B15F6SL



PCI-LB15F4SL
PCI-LB15F2SL
PCI-LB15F6SL



Access Control

FOCUS ON YOUR SUCCESS

HIKVISION

©2021 Hikvision USA Inc. and Hikvision Canada Inc. All rights reserved. Hikvision is a registered trademark of Hikvision Digital Technology Co., Ltd. in the US, Canada and other countries. Product specifications and availability are subject to change without notice.

Disclaimer: Hikvision USA Inc. products depicted herein are not FDA approved medical devices and are not intended for use in the diagnosis of disease or other conditions, or in the cure, mitigation, treatment, or prevention of disease. When configured correctly, the Hikvision products discussed herein can identify elevated human skin-surface temperature relative to a sample population.