



# WAREHOUSE PROTECTION



## HeatPro Thermal Camera Solutions for Warehouse Industry Scenarios

Security from within and without is a major concern for warehouse managers and employees. From preventing break-ins to detecting fire risks, what are the best options for reacting immediately to prevent damage and loss? Now, Hikvision's HeatPro series of advanced security products offers a professional solution to keep any warehouse safe and secure.

### Common Industry Concerns



#### STORAGE & PACKAGING AREAS

**Requirements:**

- Protecting goods from risk of fire
- Visualized monitoring in storage areas
- Exterior protections



#### DISPATCH CENTERS

**Requirements:**

- Protecting goods from risk of fire
- Visualized tracking of goods
- Employee safety

### HEATPRO SERIES ADVANCED FEATURES



#### 24 HOUR BI-SPECTRUM LIVE VIEW

- 4 MP HD Optical channels
- Thermal channel with target coloration
- On-screen, real-time temperature information



#### TEMPERATURE & FIRE DETECTION


- Monitoring temperature anomalies and alarm triggering
- Multiple configurable temperature anomaly rules



#### ACCURATE PERIMETER DEFENSE

- Detecting intrusions & line crossing events
- Reduced false alarms with human/vehicle classification
- Automated strobe light and audible alerts


# MULTI-STAGE FIRE DETECTION SOLUTIONS



## APPLICATION SCENARIOS



**PARKING AREAS**  
Human/vehicle classification for perimeter protection



**EXTERNAL SURROUNDINGS**  
Automated strobe light and audio alerts



**Real-Time Fire Detection**  
Thermal HeatPro series cameras large FOV provides wide coverage throughout the warehouse.




**STORAGE AREAS**  
Temperature anomaly detection




**Perimeter Defense**  
Thermal HeatPro cameras cover large areas and detect intrusions & line-crossing events.

## FLEXIBLE SOLUTIONS



### Fundamental Protections


Connected to an NVR, HeatPro cameras provide multiple powerful security protections in small warehouses.



### Large-Scale Deployment

HeatPro cameras can be deployed on a large scale for more complex projects – such as chain stores and industrial parks – with centralized management.

## VCA PERFORMANCE



## MODEL SELECTION

 TD1217 Turret Camera TD2617 Turret Camera	MODELS	FOV (H x V)	TEMPERATURE MEASUREMENT
	DS-2TD1217-2/PA	90.0° x 66.4°	3 temperature measurement rule types, 21 rules in total (10 points, 10 areas, and 1 line)  Temperature Range: -4°F to 302°F (-20°C to 150°C)  Temperature Accuracy: ±14.4°F (± 8°C)
	DS-2TD1217-3/PA	50.0° x 37.2°	
	DS-2TD2617-3/PA		
	DS-2TD1217-6/PA	25.0° x 18.7°	
	DS-2TD2617-6/PA		
	DS-2TD2617-10/PA	16.0° x 12.4°	

FOCUS ON YOUR SUCCESS

**HIKVISION**